
These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 

Dated: 9 August 2018



PROPOSED SITE PLAN

project no: GG-021




project: A3 DRA	WING NOTED SCALES RELATE TO A3 DRAWINGS					
SIEMENS SPRAYBOOTH						
location: 292-296 ALEXANDRA STREET	client:					

REVISIONS DESCRIPTION PRELIMINARY

design+	architecture abn: 80167978832 Pty.Ltd.	
044 968 2924	design@designaa.com.au	

ISSUED FOR						
PRELIMINARY						
scale 1:500	rev					
date MAY 18	1					


292-296 ALEXANDRA STREET KAWANA 4701



These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 

Dated: 9 August 2018



#### ISOMETRIC VIEW


Layout approved:	DIMENSIONS ARE IN MILLIMETERS									
	TOLERANCE: ±0.5MM UNLESS OTHERWISE SPECIFIED			<b>TO</b>						
Bv:	DEBUR AND BREAK SHARP EDGES			TRL						
/	*THIS DOCUMENT REMAINS THE PROPERTY OF TRUE OW		Spray Booths (Aust) Pty Ltd							
Date:/	REPRODUCTION OF ANY PART AND ANY	Drawing:	ISOMETRIC	\/ ⊏\//						
Customer:	UNAUTHORIZED USE OF THE CONTENT WITHOUT WRITTEN PERMISSION IS		30WL TRIC	VILVV						
	FORBIDDEN. VIOLATION WILL RESULT IN	Page 02								
	PROSECUTION. ALL RIGHTS RESERVED."	DRAWN	CHK'D	APP'D	DATE	SCALE	REVISION			
		SD			17/04/2018	1:50	00	A3		


PRINI DATE 1//04/201

These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 

Dated: 9 August 2018






DETAIL CG SCALE: 1:25


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS
TOLERANCE: ±0.5MM UNLESS OTHERWISE SPECIFIED
DEBUR AND BREAK SHARP EDGES
*THIS DOCUMENT REMAINS THE PROPERTY OF TRUFLOW. REPRODUCTION OF ANY PART AND ANY UNAUTHORIZED USE OF THE CONTENT

wiiig.	FRONT	VIEW	
age 03			7

RAWN	CHK'D	APP'D	DATE	SCALE	REVISION	
SD			17/04/2018	1:65	00	A3

PATH: T:\TF-PRODUCTION\SIEMENS\Solidworks\SIEMENS






These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 


Dated: 9 August 2018



Layout approved:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS	Г
	TOLERANCE: ±0.5MM UNLESS OTHERWISE SPECIFIED	
Pur.	DEBUR AND BREAK SHARP EDGES	1
Date: / /	"THIS DOCUMENT REMAINS THE PROPERTY OF TRUFLOW REPRODUCTION OF ANY PART AND ANY UNAUTHORIZED USE OF THE CONTENT	Drav

TRUFLOW
Spring Booths (Aust) Pty 1.td

rawing: SIDE SECTION VIEW



FRONT VIEW SCALE 1:100

CONSTRUCTION START POINT REFERENCE
CUSTOMER TO CONFIRM BOOTH LOCATION AS PER DIMENSION.

CUSTOMER CONTACT: Ross Evans


SIEMENS M: 0437 324 394

## ROCKHAMPTON REGIONAL COUNCIL APPROVED PLANS

These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 

Dated: 9 August 2018




SECTION CN-CN SCALE 1:30

	Layout approved:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS										
		TOLERANCE: ±0.5MM UNLESS OTHERWISE SPECIFIED		TRUFLOW								
	Bv:	DEBUR AND BREAK SHARP EDGES										
	Бу	*THIS DOCUMENT REMAINS THE	Spray Booths (Aust) Pty Ltd									
	Date://	PROPERTY OF TRUFLOW. REPRODUCTION OF ANY PART AND ANY	Drawing: DI	wing: DLAN CECTION VIEW								
- 1	Customer:	UNAUTHORIZED USE OF THE CONTENT WITHOUT WRITTEN PERMISSION IS	FL	wing: PLAN SECTION VIEW								
		FORBIDDEN. VIOLATION WILL RESULT IN	Page 06									
		PROSECUTION. ALL RIGHTS RESERVED."	DRAWN	CHK'D	APP'D	DATE	SCALE	REVISION				
			SD			17/04/2018	-	00	A3			

PRINI DATE 17/04/201

PATH: T:\TF-PRODUCTION\SIEMENS\Solidworks\SIEMENS



DICT PENETRATION DETAIL

PATH: T:\TF-PRODUCTION\SIEMENS\Solidworks\SIEMENS

#### POWER:

NOMINATED LOCATION REQUIRES 20 AMPS 3 PHASE + NEUTRAL.

BUILDER RUNNING SUB-MAINS:
ENSURE POWER CABLE BEING RUN
FROM THE MAIN DISTRIBUTION BOARD
TO THE TRUFLOW SYSTEM AS A SUB-MAIN
CABLE CAN BE FITIED OFF INTO TRUFLOW BOARD
ISOLATION POINT.

#### COMPRESSED AIR:

IN CONSIDERATION OF TOOL AIR SUPPLY FOR SPRAY APPLICATION.
COMPRESSED AIR IS TO BE SUPPLIED WITH 25MM PIPE SEALED AND ISOLATED AT THE FOLLOWING POINT.
50 CFM RECOMMENDED AT THE LOCATION.
TRUFLOW WILL COMPLETE RETICULATION FROM THIS POINT AND PROVIDE TOOL AIR WITHIN THE SPRAY BOOTH.

Provide 1/2" BSP female connector at exit


AIR REGULATOR DETAIL					
TYPE	YES/NO	QTY			
SPRAY AIR REGULATOR	YES	1			
BREATHE AIR REGULATOR	NO	-			

### ROCKHAMPTON REGIONAL COUNCIL APPROVED PLANS

These plans are approved subject to the current conditions of approval associated with

**Development Permit No.: D/55-2018** 

Dated: 9 August 2018



**TOP VIEW** 

Layout approved:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS								
	TOLERANCE: ±0.5MM UNLESS OTHERWISE SPECIFIED		TRUFLOW						
Ву:	DEBUR AND BREAK SHARP EDGES "THIS DOCUMENT REMAINS THE	Spray Booths (Aust) Pty Ltd							
Date: / / Customer:	PROPERTY OF TRUFLOW. REPRODUCTION OF ANY PART AND ANY UNAUTHORIZED USE OF THE CONTENT WITHOUT WRITTEN PERMISSION IS	Drawing: El	<sup>ng:</sup> ELECTRICITY AND COMPRESSED AIR DETAIL						
	FORBIDDEN. VIOLATION WILL RESULT IN	Page 08							
	PROSECUTION. ALL RIGHTS RESERVED."	DRAWN	CHK'D	APP'D	DATE	SCALE	REVISION		

Power

Compressed Air

PRINI DATE 17/04/2018