



Decision Notice Approval

Planning Act Form 1 (version 1.2 effective 7 February 2020) made under section 282 of the Planning Act 2016 for a decision notice (approval) under section 63(2) of the Planning Act 2016

Application number:	D/111-2023	Contact:	Lana Groves
Notice Date:	15 February 2024	Contact Number:	07 4936 8099

APPLICANT DETAILS

Name:	Greyhound Australia		
Postal address:	C/- Gideon Town Planning PO BOX 450 ROCKHAMPTON CITY QLD 4700		
Phone no:	07 4806 6959	Email:	info@gideontownplanning.com.au

I acknowledge receipt of the above application on 23 August 2023 and confirm the following:

DEVELOPMENT APPROVAL

Development Permit for a Material Change of Use for a Transport Depot

PROPERTY DESCRIPTION

Street address:	Lot 12 Burke Street, Parkhurst
Real property description:	Lot 12 on SP234680

Dear Greyhound Australia

I advise that, on **12 February 2024** the above development application was:

approved in full with conditions* (refer to the conditions contained in **Attachment 1**)

*Note: The conditions show which conditions have been imposed by the assessment manager and which conditions have been imposed by a referral agency.

1. DETAILS OF THE APPROVAL

The following approvals are given:

	Development Permit	Preliminary Approval
Development assessable under the planning scheme, superseded planning scheme, a temporary local planning instrument, a master plan or a preliminary approval which includes a variation approval - Material change of use	<input checked="" type="checkbox"/>	<input type="checkbox"/>

2. CONDITIONS

This approval is subject to the conditions in Attachment 1.

3. FURTHER DEVELOPMENT PERMITS REQUIRED

Please be advised that the following development permits are required to be obtained before the development can be carried out:

Type of development permit required	Subject of the required development permit
Operational Works	Access and Parking Works

4. REFERRAL AGENCIES

NIL

The approved development must be completed and maintained generally in accordance with the approved drawings and documents:

Plan/Document Name	Prepared by	Date	Reference No.	Revision /Issue
Site Plan	Rufus Design Group	25 November 2010	101118-01	A
Floor Plan	Rufus Design Group	25 November 2010	101118-02	A
Bus Swept Paths	McMurtrie Consulting Engineers	2 February 2024	RCB0752324/001	C

5. CURRENCY PERIOD FOR THE APPROVAL (s.85 of the Planning Act)

In accordance with section 85(1)(a)(ii) of the *Planning Act 2016*, the development approval lapses if the first change of use does not happen within six (6) years after the approval starts to have effect, if not stated otherwise in the conditions of approval attached.

6. STATEMENT OF REASONS

Description of the development
Material Change of Use for a Transport Depot
Reasons for Decision
<p>a) Assessment of the development against the relevant zone purpose, planning scheme codes and planning scheme policies demonstrates that the proposed development will not cause significant adverse impacts on the surrounding natural environment, built environment and infrastructure, community facilities, or local character and amenity; and</p> <p>b) On balance, the application should be approved because the circumstances favour Council exercising its discretion to approve the application even though the development does not comply with an aspect of the assessment benchmarks.</p>
Assessment Benchmarks
<p>The development was assessed against the following assessment benchmarks:</p> <ul style="list-style-type: none"> • Medium Impact Industry Zone Code; • Airport Environs Overlay Code; • Access, Parking and Transport Code; • Landscape Code; • Stormwater Management Code; • Waste Management Code; and • Water and Sewer Code.

Compliance with assessment benchmarks	
The development was assessed against all of the assessment benchmarks listed above and complies with all of these with the exceptions listed below. .	
Assessment Benchmark	Reasons for the approval despite non-compliance with benchmark
Access, Parking and Transport Code	<p>PO11</p> <p>The proposed development does not comply with Performance Outcome (PO) 11 as the development does not propose any further contributions to the transport network to encourage alternative methods of transport.</p> <p>Despite the non-compliance, the proposed development is for a transport depot where the need for modes of transport such as cycling and walking is not considered necessary or conducive to the operation and functional capacity of the development, therefore is considered a low-level conflict.</p>
	<p>PO14</p> <p>The proposed development does not comply with Acceptable Outcome (AO) 14.1 which requires vehicle manoeuvring into and from the site for all vehicles is designed in accordance with the Australian Standards AS2890.</p> <p>The swept path analysis provided by the applicant demonstrates that turning paths from Burke Street when entering the site from the north and exiting the site to the south, cannot be achieved. Buses will be required to transverse across the centreline in both movements into the opposing traffic lane to be able to enter and exit the site.</p> <p>To address the non-compliance, it has been conditioned as part of the approval that the northern access to the site be widened to a sufficient width (as determined by the consulting engineer) so that buses can manoeuvre into and out of the site safely. The non-compliance is also justified as there is only three (3) to (4) buses proposed for the Transport Depot, limiting the number of movements anticipated each day in and out of the site, with traffic volumes within Burke Street, although unknown, expected to be low.</p> <p>On this basis, the proposed development is considered to achieve Performance Outcome (PO) 6 as the site access will be designed to meet the requirements for the Transport (bus) Depot.</p>
	<p>PO18</p> <p>The proposed development does not comply with Performance Outcome (PO) 18 as the development does not propose bicycle parking or end of trip facilities.</p> <p>The development is for a Transport Depot that will be providing storage for three (3) to four (4) buses while not in service, with staff members the only persons accessing the site before and after shifts. Furthermore, the location of the site is in a Medium Impact Industry Zone surrounded by other industrial uses, with the land use and associated activities of surrounding sites of an industrial nature.</p> <p>On this basis, bicycle parking or end of trip facilities are not considered applicable based on the needs of the development and the non-compliance with Performance Outcome (PO) 18 is considered to be a low-level conflict.</p>
Waste Management Code	<p>PO3</p> <p>The proposed development does not wholly comply with Acceptable Outcome (AO) 3.1 (a) and (b) as the existing on-site waste storage area is not integrated with the building design and located less than two (2) metres from the left common property boundary.</p> <p>Despite the non-compliance, the proposed development is for the purposes of a</p>

	<p>Transport Depot for approximately three (3) to four (4) buses with only two (2) to four (4) employees at a given time, the activities of which are not anticipated to produce large amounts of waste. Further to this, the adjoining site on the left common boundary adjacent to the waste storage area is occupied by an industrial activity and is not a sensitive land use.</p> <p>On this basis, the development is taken to comply with Performance Outcome (PO) 3 as the waste storage area is expected to remain underutilised based on the activities associated with the Transport Depot. It is not anticipated that large amounts of putrescible or hazardous wastes will be produced, resulting in minimal adverse impacts on the adjoining industrial property.</p>
Landscape Code	<p>PO1</p> <p>The development does not comply with Acceptable Outcome (AO) 1.1 as no landscaping is proposed.</p> <p>The proposed development will be operating on a previously developed industrial site and will preserve the established gardens along the south west property boundary adjoining Burke Street. The existing gardens are three (3) metres deep and vary between six (6) metres to 9.5 metres in length adjoining the road boundary. The established landscaping provides a pleasant visual scape, softening the built form when viewed from the street, and complements the existing building.</p> <p>On this basis, the proposed development is considered to comply with Performance Outcome (PO) 1.</p> <hr/> <p>PO2</p> <p>The proposed development does not comply with Performance Outcome (PO) 2, as no additional shade trees are proposed, and no acceptable outcome is nominated.</p> <p>The proposed development will utilise the existing developed industrial site and maintain the existing landscaping, therefore, it is not considered necessary for shade trees to be provided. Further to this, the existing landscaped areas adjoining the Burke Street Road boundary provide a mature landscape with large established trees.</p> <p>Therefore, the proposed development is taken to comply with the purpose of the Landscape Code as significant on-site vegetation is retained and integrated into the site.</p> <hr/> <p>PO6</p> <p>The proposed development does not comply with Acceptable Outcome 6.1 to 6.5 and 6.4 as the applicant does not propose any additional landscaping.</p> <p>Despite the non-compliance, the proposed development is establishing a use within an existing industrial site and will preserve the three (3) established gardens along the western property boundary adjoining Burke Street, which cover approximately 64.5 square metres.</p> <p>It is considered that the established landscaping compliments the proposed transport depot building, softening the built form of the building from Burke Street. On this basis, the proposed development generally complies with Performance Outcome (PO) 6 as the landscaping includes plant species that complement the proposed development and preserves the existing vegetation.</p> <hr/> <p>PO11</p> <p>The proposed development does not comply with Acceptable Outcomes (AO) 11.1 to 11.6 as no shade trees are proposed for the carparking areas. The development will be occupying a pre-developed site that provides sufficient parking based on the needs of the development, with no additional carparking required. As such, it is not considered necessary that shade trees be provided in</p>

	the carparking area, with the non-compliance considered a low-level conflict.
Matters prescribed by regulation	
<ul style="list-style-type: none"> • The <i>Rockhampton Region Planning Scheme 2015</i> (version 2.2); and • The common material, being the material submitted with the application. 	

7. APPEAL RIGHTS

The rights of an applicant to appeal to a tribunal or the Planning and Environment Court against a decision about a development application are set out in chapter 6, part 1 of the *Planning Act 2016*. There may also be a right to make an application for a declaration by a tribunal (see chapter 6, part 2 of the *Planning Act 2016*).

Appeal by an applicant

An applicant for a development application may appeal to the Planning and Environment Court against the following:

- the refusal of all or part of the development application
- a provision of the development approval
- the decision to give a preliminary approval when a development permit was applied for
- a deemed refusal of the development application.

An applicant may also have a right to appeal to the Development tribunal. For more information, see schedule 1 of the *Planning Act 2016*.

The timeframes for starting an appeal in the Planning and Environment Court are set out in section 229 of the *Planning Act 2016*.

Attachment 2 is an extract from the *Planning Act 2016* that sets out the applicant's appeal rights and the appeal rights of a submitter.

8. WHEN THE DEVELOPMENT APPROVAL TAKES EFFECT

This development approval takes effect:

- From the time the decision notice is given – if there is no submitter and the applicant does not appeal the decision to the court.


Or

- When the submitter's appeal period ends – if there is a submitter and the applicant does not appeal the decision to the court.

Or

- Subject to the decision of the court, when the appeal is finally decided – if an appeal is made to the court.

9. ASSESSMENT MANAGER

Name: Amanda O'Mara COORDINATOR DEVELOPMENT ASSESSMENT	Signature: 	Date: 15 February 2024
---	---	------------------------

Attachment 1 – Conditions of the approval

Part 1 – Conditions imposed by the assessment manager [Note: where a condition is imposed about infrastructure under Chapter 4 of the *Planning Act 2016*, the relevant provision of the Act under which this condition was imposed must be specified.]

Attachment 2—Extract on appeal rights



Attachment 1 – Part 1

Rockhampton Regional Council Conditions

Planning Act 2016

1.0 ADMINISTRATION

- 1.1 The owner, the owner’s successors in title, and any occupier of the premises is responsible for ensuring compliance with the conditions of this development approval.
- 1.2 Where these Conditions refer to “Council” in relation to requiring Council to approve or to be satisfied as to any matter, or conferring on the Council a function, power or discretion, that role may be fulfilled in whole or in part by a delegate appointed for that purpose by the Council.
- 1.3 All conditions, works, or requirements of this development approval must be undertaken, completed, and be accompanied by a Compliance Certificate for any operational works required by this development approval:
 - 1.3.1 to Council’s satisfaction;
 - 1.3.2 at no cost to Council; and
 - 1.3.3 prior to the commencement of the use, unless otherwise stated.
- 1.4 Infrastructure requirements of this development approval must be contributed to the relevant authorities, where applicable, at no cost to Council, prior to the commencement of the use, unless otherwise stated.
- 1.5 The following further Development Permits must be obtained prior to the commencement of any works associated with their purposes:
 - 1.5.1 Operational Works:
 - (i) Access and Parking Works.
- 1.6 All works must be designed, constructed and maintained in accordance with the relevant Council policies, guidelines and standards, unless otherwise stated.
- 1.7 All engineering drawings/specifications, design and construction works must be in accordance with the requirements of the relevant Australian Standards and must be approved, supervised and certified by a Registered Professional Engineer of Queensland.
- 1.8 All development conditions contained in this development approval about infrastructure under Chapter 4 of the *Planning Act 2016* should be read as being non-trunk infrastructure conditioned under section 145 of the *Planning Act 2016*, unless otherwise stated.

2.0 APPROVED PLANS AND DOCUMENTS

- 2.1 The approved development must be completed and maintained generally in accordance with the approved plans and documents, except where amended by any condition of this development approval:

<u>Plan/Document Name</u>	<u>Prepared by</u>	<u>Date</u>	<u>Reference No.</u>	<u>Revision /Issue</u>
Site Plan	Rufus Design Group	25 November 2010	101118-01	A
Floor Plan	Rufus Design Group	25 November 2010	101118-02	A
Bus Swept Paths	McMurtrie Consulting Engineers	2 February 2024	RCB0752324/001	C

2.2 Where there is any conflict between the conditions of this development approval and the details shown on the approved plans and documents, the conditions of this development approval must prevail.

3.0 ACCESS AND PARKING WORKS

3.1 A Development Permit for Operational Works (access and parking works) must be obtained prior to the commencement of any access and parking works on the development site.

3.2 The northern access must be modified to ensure that the design vehicle is able to maneuver into and out of the site safely and reduce the risk of vehicle conflict in this location. The access must be configured such that movements are restricted to a right in right out arrangement.

3.3 All access and parking works must be designed and constructed in accordance with the approved plans (refer to condition 2.1), *Capricorn Municipal Development Guidelines, Australian Standard AS2890 "Parking facilities" and the provisions of a Development Permit for Operational Works (access and parking works)*.

3.4 Adequate sight distances must be provided for all ingress and egress movements at the access driveways in accordance with *Australian Standard AS2890.2 "Parking facilities - Off street commercial vehicle facilities"*.

3.5 All vehicle operations associated with the development must be directed by suitable directional, informative, regulatory or warning signs in accordance with *Australian Standard AS1742.1 "Manual of uniform traffic control devices"* and *Australian Standard AS2890.1 "Parking facilities – Off-street car parking"*.

3.6 All vehicles must ingress and egress the development in a forward gear.

3.7 A minimum of two (2) car parking spaces must be provided on-site.

3.8 Universal access parking spaces (where required) must be provided on-site in accordance with Australian Standard AS2890.6 "Parking facilities - Off-street parking for people with disabilities".

3.9 Parking spaces must be line-marked in accordance with the approved Plan (refer to condition 2.1) and in accordance with the Australian Standard AS2890 "Parking facilities" and the provisions of a Development Permit for Operational Works (access and parking works).

3.10 All vehicle operation areas must be illuminated in accordance with the requirements of Australian Standard AS1158 "Lighting for roads and public spaces".

4.0 PLUMBING AND DRAINAGE WORKS

4.1 The development must remain connected to Council's reticulated sewerage and water networks.

4.2 The existing sewerage and water connection point(s) must be retained, and upgraded if necessary, to service the development.

4.3 Sewer connections and water meter boxes located within any proposed access widening works must be raised or lowered to suit the finished surface levels and must be provided with heavy duty trafficable lids.

4.4 Amended sewerage/sewerage trade waste permits must be obtained for the discharge of any non-domestic waste into Council's reticulated sewerage network. Arrestor traps must be provided where commercial or non-domestic waste is proposed to be discharged into the sewer system.

5.0 ASSET MANAGEMENT

5.1 Any alteration necessary to electricity, telephone, water mains, sewerage mains, and/or public utility installations resulting from the development or in connection with the development, must be undertaken and completed at no cost to Council.

5.2 Any damage to existing stormwater, water supply and sewerage infrastructure, kerb and channel, pathway or roadway (including removal of concrete slurry from public land and Council infrastructure), that occurs while any works are being carried out in association with this development approval must be repaired at full cost to the developer. This includes the reinstatement of any existing traffic signs or pavement markings that may have been removed or damaged.

6.0 OPERATING PROCEDURES

6.1 All construction materials, waste, waste skips, machinery and contractors' vehicles must be located and stored or parked within the development site. Storage of materials or parking of construction machinery or contractors' vehicles must not occur within Burke Street.

- 6.2 When Council receives dust complaints, Council will conduct nuisance monitoring, to investigate any genuine complaint of nuisance caused by dust. If the complaints are genuine, the entire vehicle storage and vehicle manoeuvring areas must be surface treated to Council's satisfaction for prevention of dust generation.

Note: Should it be demonstrated that surface treatment is not effectively controlling the dust generation; the entire vehicle storage and vehicle manoeuvring areas must be paved or sealed to the satisfaction of Council.

- 6.3 All waste storage areas must be:
- 6.3.1 impervious paved;
 - 6.3.2 surrounded by at least a 1.8 metre high fence that obstructs from view the contents of the waste storage area by any member of the public from any public place;
 - 6.3.3 kept in a clean and tidy condition; and
 - 6.3.4 maintained in accordance with *Environmental Protection Regulation 2019*.

7.0 ENVIRONMENTAL HEALTH

- 7.1 Any lighting devices associated with the development, such as sensory lighting, must be positioned on the development site and shielded so as not to cause glare or other nuisance to nearby residents and motorists. Night lighting must be designed, constructed and operated in accordance with Australian Standard AS4282 "Control of the obtrusive effects of outdoor lighting".
- 7.2 Noise emitted from the activity must not cause an environmental nuisance.
- 7.3 All chemicals and/or environmentally hazardous liquids must be contained within a covered, bunded storage area that has a volume of at least that of the largest container in the bund plus twenty-five percent (25%) of the total storage capacity.
- 7.4 Any spillage of environmentally hazardous liquids or other materials must be cleaned up as quickly as practicable. Any spillage of waste and/or contaminants must not be hosed or swept to any stormwater drainage system, roadside gutter or waters.

ADVISORY NOTES

NOTE 1. Aboriginal Cultural Heritage

It is advised that under section 23 of the *Aboriginal Cultural Heritage Act 2003*, a person who carries out an activity must take all reasonable and practicable measures to ensure the activity does not harm Aboriginal cultural heritage (the "cultural heritage duty of care"). Maximum penalties for breaching the duty of care are listed in the Aboriginal cultural heritage legislation. The information on Aboriginal cultural heritage is available on the Department of Seniors, Disability Services and Aboriginal and Torres Strait Islander Partnerships website www.dsdsatsip.qld.gov.au

NOTE 2. Asbestos Removal

Any demolition and/or removal works involving asbestos materials must be undertaken in accordance with the requirements of the *Work Health and Safety Act 2011* and *Public Health Act 2005*.

NOTE 3. General Safety Of Public During Construction

The *Work Health and Safety Act 2011* and *Manual of Uniform Traffic Control Devices* must be complied with in carrying out any construction works, and to ensure safe traffic control and safe public access in respect of works being constructed on a road.

NOTE 4. General Environmental Duty

General environmental duty under the *Environmental Protection Act 1994* prohibits unlawful environmental nuisance caused by noise, aerosols, particles, dust, ash, fumes, light, odour or smoke beyond the boundaries of the development site during all stages of the development including earthworks, construction and operation.

NOTE 5. Duty to Notify of Environmental Harm

If a person becomes aware that serious or material environmental harm is caused or threatened the by an activity or an associated activity, that person has a duty to notify Rockhampton Regional Council

The following is an extract from the *Planning Act 2016* (Chapter 6)

Appeal rights

229 Appeals to tribunal or P&E Court

- (1) Schedule 1 states—
- (a) matters that may be appealed to—
 - (i) either a tribunal or the P&E Court; or
 - (ii) only a tribunal; or
 - (iii) only the P&E Court; and
 - (b) the person—
 - (i) who may appeal a matter (the **appellant**); and
 - (ii) who is a respondent in an appeal of the matter; and
 - (iii) who is a co-respondent in an appeal of the matter; and
 - (iv) who may elect to be a co-respondent in an appeal of the matter.
- (2) An appellant may start an appeal within the appeal period.
- (3) The **appeal period** is—
- (a) for an appeal by a building advisory agency—10 business days after a decision notice for the decision is given to the agency or
 - (b) for an appeal against a deemed refusal—at any time after the deemed refusal happens; or
 - (c) for an appeal against a decision of the Minister, under chapter 7, part 4, to register premises or to renew the registration of premises—20 business days after a notice is published under section 269(3)(a) or (4); or
 - (d) for an appeal against an infrastructure charges notice—20 business days after the infrastructure charges notice is given to the person; or
 - (e) for an appeal about a deemed approval of a development application for which a decision notice has not been given—30 business days after the applicant gives the deemed approval notice to the assessment manager; or
 - (f) for any other appeal—20 business days after a notice of the decision for the matter, including an enforcement notice, is given to the person.
- Note—
See the P&E Court Act for the court's power to extend the appeal period.
- (4) Each respondent and co-respondent for an appeal may be heard in the appeal.
- (5) If an appeal is only about a referral agency's response, the assessment manager may apply to the tribunal or P&E Court to withdraw from the appeal.
- (6) To remove any doubt, it is declared that an appeal against an infrastructure charges notice must not be about—
- (a) the adopted charge itself; or
 - (b) for a decision about an offset or refund—
 - (i) the establishment cost of trunk infrastructure identified in a LGIP; or
 - (ii) the cost of infrastructure decided using the method included in the local government's charges resolution.

230 Notice of appeal

- (1) An appellant starts an appeal by lodging, with the registrar of the tribunal or P&E Court, a notice of appeal that—
 - (a) is in the approved form; and
 - (b) succinctly states the grounds of the appeal.
- (2) The notice of appeal must be accompanied by the required fee.
- (3) The appellant or, for an appeal to a tribunal, the registrar must, within the service period, give a copy of the notice of appeal to—

- (a) the respondent for the appeal; and
 - (b) each co-respondent for the appeal; and
 - (c) for an appeal about a development application under schedule 1, table 1, item 1—each principal submitter for the development application; and
 - (d) for an appeal about a change application under schedule 1, table 1, item 2—each principal submitter for the change application; and
 - (e) each person who may elect to become a co-respondent for the appeal, other than an eligible submitter who is not a principal submitter in an appeal under paragraph (c) or (d); and
 - (f) for an appeal to the P&E Court—the chief executive; and
 - (g) for an appeal to a tribunal under another Act—any other person who the registrar considers appropriate.
- (4) The **service period** is—
- (a) if a submitter or advice agency started the appeal in the P&E Court—2 business days after the appeal is started; or
 - (b) otherwise—10 business days after the appeal is started.
- (5) A notice of appeal given to a person who may elect to be a co-respondent must state the effect of subsection
- (6) A person elects to be a co-respondent by filing a notice of election, in the approved form, within 10 business days after the notice of appeal is given to the person.

231 Other appeals

- (1) Subject to this chapter, schedule 1 and the P&E Court Act, unless the Supreme Court decides a decision or other matter under this Act is affected by jurisdictional error, the decision or matter is non-appealable.
- (2) The Judicial Review Act 1991, part 5 applies to the decision or matter to the extent it is affected by jurisdictional error.
- (3) A person who, but for subsection (1) could have made an application under the Judicial Review Act 1991 in relation to the decision or matter, may apply under part 4 of that Act for a statement of reasons in relation to the decision or matter.
- (4) In this section— **decision** includes—
 - (a) conduct engaged in for the purpose of making a decision; and
 - (b) other conduct that relates to the making of a decision; and
 - (c) the making of a decision or the failure to make a decision; and
 - (d) a purported decision; and
 - (e) a deemed refusal.

non-appealable, for a decision or matter, means the decision or matter—

- (a) is final and conclusive; and
- (b) may not be challenged, appealed against, reviewed, quashed, set aside or called into question in any other way under the Judicial Review Act 1991 or otherwise, whether by the Supreme Court, another court, a tribunal or another entity; and
- (c) is not subject to any declaratory, injunctive or other order of the Supreme Court, another court, a tribunal or another entity on any ground.

232 Rules of the P&E Court

- (1) A person who is appealing to the P&E Court must comply with the rules of the court that apply to the appeal.
- (2) However, the P&E Court may hear and decide an appeal even if the person has not complied with rules of the P&E Court.

Schedule 1

Appeals section 229

1 Appeal rights and parties to appeals

- (1) Table 1 states the matters that may be appealed to—(a) the P&E court; or (b) a tribunal.
- (2) However, table 1 applies to a tribunal only if the matter involves—
 - (a) the refusal, or deemed refusal of a development application, for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (b) a provision of a development approval for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (c) if a development permit was applied for—the decision to give a preliminary approval for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (d) a development condition if—
 - (i) the development approval is only for a material change of use that involves the use of a building classified under the Building Code as a class 2 building; and
 - (ii) the building is, or is proposed to be, not more than 3 storeys; and
 - (iii) the proposed development is for not more than 60 sole-occupancy units; or
 - (e) a decision for, or a deemed refusal of, an extension application for a development approval that is only for a material change of use of a classified building; or
 - (f) a decision for, or a deemed refusal of, a change application for a development approval that is only for a material change of use of a classified building; or
 - (g) a matter under this Act, to the extent the matter relates to—
 - (i) the Building Act, other than a matter under that Act that may or must be decided by the Queensland Building and Construction Commission; or
 - (ii) the Plumbing and Drainage Act, part 4 or 5; or
 - (h) a decision to give an enforcement notice in relation to a matter under paragraphs (a) to (g); or
 - (i) a decision to give an infrastructure charges notice; or
 - (j) the refusal, or deemed refusal, of a conversion application; or
 - (k) a matter that, under another Act, may be appealed to the tribunal; or
 - (l) a matter prescribed by regulation.
- (3) Also, table 1 does not apply to a tribunal if the matter involves—
 - (a) for a matter in subsection (2)(a) to (d)—
 - (i) a development approval for which the development application required impact assessment; and
 - (ii) a development approval in relation to which the assessment manager received a properly made submission for the development application; or
 - (b) a provision of a development approval about the identification or inclusion, under a variation approval, of a matter for the development.
- (4) Table 2 states the matters that may be appealed only to the P&E Court.
- (5) Table 3 states the matters that may be appealed only to the tribunal.
- (6) In each table—
 - (a) column 1 states the appellant in the appeal; and
 - (b) column 2 states the respondent in the appeal; and
 - (c) column 3 states the co-respondent (if any) in the appeal; and
 - (d) column 4 states the co-respondents by election (if any) in the appeal.
- (7) If the chief executive receives a notice of appeal under section 230(3)(f), the chief executive may elect to be a co-respondent in the appeal.

Table 1			
Appeals to the P&E Court and, for certain matters, to a tribunal			
1. Development applications An appeal may be made against— <ol style="list-style-type: none"> (a) the refusal of all or part of the development application; or (b) the deemed refusal of the development application; or (c) a provision of the development approval; or (d) if a development permit was applied for—the decision to give a preliminary approval. 			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The applicant	The assessment manager	If the appeal is about a concurrence	1 A concurrence agency that is not a co-respondent

Table 1			
Appeals to the P&E Court and, for certain matters, to a tribunal			
		agency's referral response—the concurrence agency	2 If a chosen Assessment manager is the respondent—the prescribed assessment manager 3 Any eligible advice agency for the application 4 Any eligible submitter for the application
2. Change applications An appeal may be made against— (a) a responsible entity's decision for a change application, other than a decision made by the P&E court; or (b) a deemed refusal of a change application.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 The applicant 2 If the responsible entity is the assessment manager—an affected entity that gave a pre-request notice or response notice	The responsible entity	If an affected entity starts the appeal—the applicant	1 A concurrence agency for the development application 2 If a chosen assessment manager is the respondent—the prescribed assessment manager 3 A private certifier for the development application 4 Any eligible advice agency for the change application 5 Any eligible submitter for the change application
3. Extension applications An appeal may be made against— (a) the assessment manager's decision about an extension application; or (b) a deemed refusal of an extension application.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 1 The applicant 2 For a matter other than a deemed refusal of an extension application – a concurrence agency, other than the chief executive, for the application	The assessment manager	If a concurrence agency starts the appeal – the applicant	If a chosen assessment manager is the respondent – the prescribed assessment manager

Table 1			
Appeals to the P&E Court and, for certain matters, to a tribunal			
<p>4. Infrastructure charges notices An appeal may be made against an infrastructure charges notice on 1 or more of the following grounds</p> <p>a) The notice involved an error relating to –</p> <p>(i) The application of the relevant adopted charge; or</p> <p>Examples of errors in applying an adopted charge –</p> <ul style="list-style-type: none"> • The incorrect application of gross floor area for a non-residential development • Applying an incorrect ‘use category’, under a regulation, to the development <p>(i) The working out of extra demands, for section 120; or</p> <p>(ii) An offset or refund; or</p> <p>b) There was no decision about an offset or refund; or</p> <p>c) If the infrastructure charges notice states a refund will be given – the timing for giving the refund; or</p> <p>d) The amount of the charge is so unreasonable that no reasonable relevant local government could have imposed the amount.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The person given the Infrastructure charges notice	The local government that gave the infrastructure charges notice	-	-
<p>5. Conversion applications An appeal may be made against—</p> <p>(a) the refusal of a conversion application; or</p> <p>(b) a deemed refusal of a conversion application.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The applicant	The local government to which the conversion application was made	-	-
<p>6. Enforcement notices An appeal may be made against the decision to give an enforcement notice.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The person given the enforcement notice	The enforcement authority	-	If the enforcement authority is not the local government for the premises in relation to which the offence is alleged to have happened—the local government

Table 2			
Appeals to the P&E Court only			
<p>1. Appeals from tribunal An appeal may be made against a decision of a tribunal, other than a decision under section 252, on the ground of—</p> <p>(a) an error or mistake in law on the part of the tribunal; or</p> <p>(b) jurisdictional error.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A party to the proceedings for the decision	The other party to the proceedings for the decision	-	-

Table 2 Appeals to the P&E Court only			
<p>2. Eligible submitter appeals An appeal may be made against the decision to give a development approval, or an approval for a change application, to the extent that the decision relates to— (a) any part of the development application for the development approval that required impact assessment; or (b) a variation request.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 For a development application—an eligible submitter for the development application 2 For a change application—an eligible submitter for the change application	1 For a development application—the assessment manager 2 For a change application—the responsible entity	1 The applicant 2 If the appeal is about a concurrence agency's referral response—the concurrence agency	Another eligible submitter for the application
<p>3. Eligible submitter and eligible advice agency appeals An appeal may be made against a provision of a development approval, or failure to include a provision in the development approval, to the extent the matter relates to— (a) any part of the development application or the change application, for the development approval, that required impact assessment; or (b) a variation request.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 For a development application—an eligible submitter for the development application 2 For a change application—an eligible submitter for the change application 3 An eligible advice agency for the development application or change application	1 For a development application—the assessment manager 2 For a change application—the responsible entity	1 The applicant 2 If the appeal is about a concurrence agency's referral response—the concurrence agency	Another eligible submitter for the application
<p>4. Compensation claims An appeal may be made against— (a) a decision under section 32 about a compensation claim; or (b) a decision under section 265 about a claim for compensation; or (c) a deemed refusal of a claim under paragraph (a) or (b).</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person dissatisfied with the decision	The local government to which the claim was made	-	-
<p>5. Registered premises</p>			

Table 2 Appeals to the P&E Court only			
An appeal may be made against a decision of the Minister under chapter 7, part 4.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 A person given a decision notice about the decision 2 If the decision is to register premises or renew the registration of premises—an owner or occupier of premises in the affected area for the registered premises who is dissatisfied with the decision	The Minister	-	If an owner or occupier starts the appeal – the owner of the registered premises
6. Local laws An appeal may be made against a decision of a local government, or conditions applied, under a local law about— (a) the use of premises, other than a use that is the natural and ordinary consequence of prohibited development; or (b) the erection of a building or other structure.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person who— (a) applied for the decision; and (b) is dissatisfied with the decision or conditions.	The local government	-	-

Table 3 Appeals to the tribunal only			
1. Building advisory agency appeals An appeal may be made against giving a development approval for building work to the extent the building work required code assessment against the building assessment provisions.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A building advisory agency for the development application related to the approval	The assessment manager	The applicant	1 A concurrence agency for the development application related to the approval 2 A private certifier for the development application related to the approval
3. Certain decisions under the Building Act and the Plumbing and Drainage Act An appeal may be made against a decision under— (a) the Building Act, other than a decision made by the Queensland Building and Construction Commission; or (b) the Plumbing and Drainage Act, part 4 or 5.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)

Table 3			
Appeals to the tribunal only			
A person who received, or was entitled to receive, notice of the decision	The person who made the decision	-	-
<p>4. Local government failure to decide application under the Building Act</p> <p>An appeal may be made against a local government's failure to decide an application under the Building Act within the period required under that Act.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person who was entitled to receive, notice of the decision	The local government to which the application was made	-	-