





Legend

Cadastre

Cadastit

TUFLOW Model Extents

Inundation Extents

0.5m (AHD) Peak Water Surface Elevation Contour




- Velocity Vector
 represents velocity at time
 of peak water level
- reference vector = 3 m/s


Notes

- This map must not be used without consideration of, or reference to, the Explanatory Notes and Eisclaimers which are provided on the Local Creek Catchments Flood Study: Splitters Creek Figure 1 so as to understand the important limitations and conditions on suchuse.
- 2. This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been
- This mapping shows inundation within the Splitters Creek TUFLOW model extents only.
- Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
- 5. Flood inundation of urban areas due to localsed overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
- €. The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzry River.

Date: 29/05/2014 Version: 2



Local Creek Catchments Flood Study: Limestone Creek












Depth (m)




Notes

- This map must not be used without consideration of, or reference to, the Explanatory Notes and Eisclaimers which are provided on the Local Creek Catchments Flood Study: Splitters Creek Figure 1 so as to understand the important limitations and conditions on such use.
- This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been made.
- This mapping shows inundation within the Splitters Creek TUFLOW model extents only.
- Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
- Flood inundation of urban areas due to localsed overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
- €. The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzry River.

Date: 29/05/2014 Version: 2



Local Creek Catchments Flood Study: Limestone Creek









Legend

Cadastre

TUFLOW Model Extents





Notes:

- This map must not be used without consideration of, or reference to, the Explanatory Notes and Eisclaimers which are provided on the Local Creek Catchments Flood Study: Splitters Creek Figure 1 so as to understand the important limitations and conditions on suchuse.
- This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been made.
- This mapping shows inundation within the Splitters Creek TUFLOW model extents only.
- Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
- Flood inundation of urban areas due to localsed overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
- 6. The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzrey River.

Date: 29/05/2014 Version: 2



Local Creek Catchments Flood Study: Limestone Creek