

Legend


- Cadastre
- TUFLOW Model Extents
- Inundation Extents
- 0.5m (AHD) Peak Water Surface Elevation Contour
- Velocity Vector
- represents velocity at time of peak water level
- reference vector = 3 m/s

Notes:


1. This map must not be used without consideration of, or reference to, the Explanatory Notes and Disclaimers which are provided on the Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks Figure 1 so as to understand the important limitations and conditions on such use.
2. This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been made.
3. This mapping shows inundation within the Frenchmans & Thozets Creeks TUFLOW model extents only.
4. Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
5. Flood inundation of urban areas due to localised overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
6. The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzroy River.

Date: 29/05/2014

Version: 2



P:\SWM\Work\231721 Rocky LCCFS\GIS\Workspaces\Frenchmans & Thozets Creeks\LCFS_FRE_THO_Figure_23_100Y_PWE_VV_Rev2.wor By: DJF




Projection: MGA Zone 56

Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks

Figure 23: Existing Conditions - 100 Year ARI Inundation Extents, Peak Water Surface Elevations and Velocities

Legend




Notes:


1. This map must not be used without consideration of, or reference to, the Explanatory Notes and Disclaimers which are provided on the Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks Figure 1 so as to understand the important limitations and conditions on such use.
2. This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been made.
3. This mapping shows inundation within the Frenchmans & Thozets Creeks TUFLOW model extents only.
4. Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
5. Flood inundation of urban areas due to localised overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
6. The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzroy River.

Date: 29/05/2014

Version: 2




P:\SWM\Work\231721 Rocky LCCFS\GIS\Workspaces\Frenchmans & Thozets Creeks\LCFS_FRE_THO_Figure_24_100Y_Peak_Depths_Rev2.wor By: DJF




Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks

Figure 24: Existing Conditions - 100 Year ARI Peak Depths


Legend



Hazard Categories



Hazard Thresholds




Notes:


- This map must not be used without consideration of, or reference to, the Explanatory Notes and Disclaimers which are provided on the Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks Figure 1 so as to understand the important limitations and conditions on such use.
- This mapping considers local catchment flooding only. No consideration of regional flooding from the Fitzroy River has been made. No consideration of flooding in areas of piped urban stormwater drainage has been made.
- This mapping shows inundation within the Frenchmans & Thozets Creeks TUFLOW model extents only.
- Outside of the TUFLOW model boundary, inundation associated with regional flooding has not been shown on this map.
- Flood inundation of urban areas due to localised overland flow should be considered indicative only. This study and the associated flood mapping is focused on creek flooding.
- The flood inundation extents shown in this flood map are based on a tailwater condition that assumes a concurrent Highest Astronomical Tide level on the Fitzroy River.

Date: 29/05/2014

Version: 2



P:\SWM\Work\231721 Rocky LCCFS\GIS\Workspaces\Frenchmans & Thozets Creeks\LCFS_FRE_THO_Figure_25_100Y_Hazard_Rev2.wor By: DJF



Projection: MGA Zone 56

Local Creek Catchments Flood Study: Frenchmans & Thozets Creeks

Figure 25: Existing Conditions - 100 Year ARI Peak Hazard